IN THE CLAIMS

Kindly replace the claims of record with the following full set of claims:

1. (Currently amended) A system comprising at least a communication network, a user entity and a server entity, **the system comprising:**

_____said user entity **having,**[comprising:]

a processor to enable a user [means for] **to define** defining at least one itinerary search criterion and at least one service**,**[; means for] send [ing] an itinerary search request to said server entity via said communication network, said request comprising at least said search criterion and said service**,**[; means for] receive [ing] a response via said communication network**, and**[; means for] present [ing] said response**;**[;]

said server entity **having,**[comprising:]

a processor to [means for] **receive** said itinerary search request**,**[; means for] compute [ing] at least one itinerary from said search criterion by using a transport database, said itinerary considering **two or more** forms of transportation **to determine an optimal itinerary,**[; means for selecting] at least one provider providing said service and fulfilling at least one proximity condition with respect to the computed itinerary by using a database of service providers, **said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones**[wherein said at least one proximity condition being determined in consideration of said forms of transportation along said computed itinerary;]**, and** [means for] send [ing], to said user entity via said communication network, a response comprising the computed itinerary with localization of the selected provider.

2. (Currently Amended)   A server entity comprising:

a processor to enable [means for]receiving an itinerary search request, said request comprising at least one search criterion and at least one service**,**[; means for] computing at least one itinerary from said search criterion by using a transport database,

said itinerary considering **two or more** forms of transportation[;]**,** [means for] selecting at least one provider providing said service and fulfilling at least one proximity condition with respect to the computed itinerary by using a database of service providers, **said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones**[wherein said proximity conditions being determined in consideration of said forms of transportation;], **and** [means for] sending a response comprising the computed itinerary with localization of the selected provider.

3. (Currently amended) A search method **for a user using a user entity, the method** comprising the steps of:

                   by the user using the user entity,

           defining at least one itinerary search criterion and at least one service;

           computing at least one itinerary responding to said search criterion by using a transport database, said itinerary considering **two or more** forms of transportation **to determine an optimal itinerary**;

           selecting at least one provider providing said service which fulfills at least one proximity condition with respect to the computed itinerary by using a database of service providers, **said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones** [wherein said proximity conditions being determined in consideration of said forms of transportation]; **and**

           presenting the computed itinerary with localization of the selected provider.

4. (Cancelled)

5. (Cancelled)

6. (Currently Amended)   A search method as claimed in claim 3, [characterized in that said step of defining] **wherein** the service can be executed **user defined** independently of [the itinerary computation] **the definition of the at least one itinerary search criterion**, and in that the services defined are stored in a current list intended to be used during the itinerary computation.

7. (Currently amended) A **computer readable storage medium** program comprising instructions**, stored in a programming memory, which, when loaded into a processor, causes said processor to perform** [for performing] an itinerary search method [by a processor, said method] comprising [the steps of]:

> defining at least one itinerary search criterion and at least one service;

> computing at least one itinerary responding to said search criterion by using a transport database, said itinerary considering **two or more** forms of transportation **to determine an optimal itinerary**;

> selecting at least one provider providing said service which fulfills at least one proximity condition with respect to the computed itinerary by using a database of service providers**, said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones** [wherein said proximity conditions being determined in consideration of said forms of transportation]**;and**

> presenting the computed itinerary with localization of the selected provider.

8. (Currently amended) An itinerary search request comprising at least one itinerary search criterion dependent upon a transportation mode and at least one service, said request being addressed to a server entity comprising:

> **a processor to enable,** [means for] receiving an itinerary search request, said request comprising at least one search criterion and at least one service,[; means for] computing at least one itinerary from said search criterion by using a transport database, said itinerary considering **two or more** forms of transportation **to determine an optimal**

itinerary[:]**,** [means for] selecting at least one provider providing said service and fulfilling at least one proximity condition with respect to the computed itinerary by using a database of service providers, **said proximity condition being adapted as a function of at least one of the following parameters: a transport mode and the type of traversed zones**[wherein said proximity conditions being determined in consideration of said forms of transportation;]**, and** [means for] sending a response comprising the computed itinerary with localization of the selected provider.

9. (Cancelled)